Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

1. (Currently Amended) A method for managing the synchronization of an application database located on a first device with an application database located on a second device using a mail server, comprising:

receiving information from the first device regarding every change made to the application database changes made to the application database on the first device since a last synchronization;

storing said information in a mail folder corresponding to a user associated with the first device and the second device; and

forwarding said information from said mail folder to the second device upon receipt of a synchronization request from the second device.

- 2. (Original) The method of claim 1, wherein said information includes a record for each change made to the application database since said last synchronization.
- 3. (Original) The method of claim 2, wherein said record for each change includes an identification of the device where the change took place.
- 4. (Original) The method of claim 2, wherein said record for each change includes a time stamp indicating the time the record is synchronized with the mail server.

- 5. (Original) The method of claim 2, wherein said record for each change includes an identification of the record.
- 6. (Original) The method of claim 2, wherein said record for each change includes a time stamp indicating the time the corresponding change to the database was made.
- 7. (Currently Amended) The method of claim 2, wherein said record for each change includes a location and identity of attachment documents associated with <u>a</u> the change-action-queue record.
- 8. (Original) The method of claim 1, further comprising:deleting said information from said mail folder after said forwarding.
- 9. (Original) A method for synchronizing an application database located on a first device with an application database located on a second device, comprising:

generating a record each time said application database is changed on the first device, said record containing information regarding said change;

uploading each of said records generated since a last synchronization to a mail server; storing each of said records in a mailbox for a user associated with the first device and the second device;

downloading each of said records from said mailbox to the second device; and modifying said application database located on the second device with changes indicated by each of said downloaded records.

- 10. (Original) The method of claim 9, wherein said uploading occurs in response to a request for synchronization on the first device.
- 11. (Original) The method of claim 9, wherein said downloading occurs in response to a request for synchronization on the second device.
- 12. (Original) The method of claim 9, wherein said record for each change includes an identification of the device where the change took place.
- 13. (Original) The method of claim 9, wherein said record for each change includes a time stamp indicating the time the record is synchronized with the mail server.
- 14. (Original) The method of claim 9, wherein said record for each change includes an identification of the record.
- 15. (Original) The method of claim 9, wherein said record for each change includes a time stamp indicating the time the corresponding change to the database was made.
- 16. (Currently Amended) The method of claim 9, wherein said record for each change includes a location and identity of attachment documents associated with <u>a the</u> change-action-queue record.

- 17. (Original) The method of claim 9, further comprising:deleting said records from said mailbox after said downloading.
- 18. (Original) A method for synchronizing an application database located on a first device with an application database located on a second device, comprising:

generating a list of records of each change to said application database on the first device since a last synchronization, each record containing information regarding said corresponding change;

uploading each of said records to a mail server;

storing each of said records in a mailbox for a user associated with the first device and the second device;

downloading each of said records from said mailbox to the second device; and modifying said application database located on the second device with changes indicated by each of said downloaded records.

- 19. (Original) The method of claim 18, wherein said uploading occurs in response to a request for synchronization on the first device.
- 20. (Original) The method of claim 18, wherein said downloading occurs in response to a request for synchronization on the second device.
- 21. (Original) The method of claim 18, wherein said record for each change includes an identification of the device where the change took place.

- 22. (Original) The method of claim 18, wherein said record for each change includes a time stamp indicating the time the record is synchronized with the mail server.
- 23. (Original) The method of claim 18, wherein said record for each change includes an identification of the record.
- 24. (Original) The method of claim 18, wherein said record for each change includes a time stamp indicating the time the corresponding change to the database was made.
- 25. (Currently Amended) The method of claim 18, wherein said record for each change includes a location and identity of attachment documents associated with <u>a the</u> change-action-queue record.
- 26. (Original) The method of claim 18, further comprising:deleting said records from said mailbox after said downloading.
- 27. (Original) An apparatus for managing the synchronization of an application database located on a first device with an application database located on a second device using a mail server, comprising:
 - a memory;
 - a first device database change information receiver;
- a first device database change information mail folder storer coupled to said first device database change information receiver and to said memory; and

a first device database change information second device forwarder coupled to said memory.

- 28. (Original) The apparatus of claim 27, further comprising a first device database change information deleter coupled to said first device database change information second device forwarder.
- 29. (Original) An apparatus for synchronizing an application database located on a first device with an application database located on a second device, comprising:
 - a first device application database change record generator;
- a mail server change record uploader coupled to said first device application database change record generator;
 - a memory;
 - a change record mailbox storer coupled to said memory;
 - a change record second device downloader coupled to said memory; and
- a second device application database modifier coupled to said change record second device downloader.
- 30. (Original) The apparatus of claim 29, further comprising a change record deleter coupled to said change record second device downloader and to said memory.
- 31. (Original) An apparatus for synchronizing an application database located on a first device with an application database located on a second device, comprising:

a first device application database change record list generator;

a mail server change record uploader coupled to said first device application database change record list generator;

a memory;

a change record mailbox storer coupled to said memory;

a change record second device downloader coupled to said memory; and

a second device application database modifier coupled to said change record second device downloader.

- 32. (Original) The apparatus of claim 31, further comprising a change record deleter coupled to said change record second device downloader and to said memory.
- 33. (Currently Amended) An apparatus for managing the synchronization of an application database located on a first device with an application database located on a second device using a mail server, the apparatus comprising:

means for receiving information from the first device regarding <u>every change made to the application database</u> <u>changes made to the application database on the first device since a last synchronization</u>;

means for storing said information in a mail folder corresponding to a user associated with the first device and the second device; and

means for forwarding said information from said mail folder to the second device upon receipt of a synchronization request from the second device.

- 34. (Original) The apparatus of claim 33, wherein said information includes a record for each change made to the application database since said last synchronization.
- 35. (Original) The apparatus of claim 34, wherein said record for each change includes an identification of the device where the change took place.
- 36. (Original) The apparatus of claim 34, wherein said record for each change includes a time stamp indicating the time the record is synchronized with the mail server.
- 37. (Original) The apparatus of claim 34, wherein said record for each change includes an identification of the record.
- 38. (Original) The apparatus of claim 34, wherein said record for each change includes a time stamp indicating the time the corresponding change to the database was made.
- (Original) The apparatus of claim 34, further comprising:means for deleting said records from said mailbox after said downloading.
- 40. (Original) The apparatus of claim 33, further comprising:means for deleting said information from said mail folder after said forwarding.
- 41. (Original) An apparatus for synchronizing an application database located on a first device with an application database located on a second device, the apparatus comprising:

means for generating a record each time said application database is changed on the first device, said record containing information regarding said change;

means for uploading each of said records generated since a last synchronization to a mail server;

means for storing each of said records in a mailbox for a user associated with the first device and the second device;

means for downloading each of said records from said mailbox to the second device; and means for modifying said application database located on the second device with changes indicated by each of said downloaded records.

- 42. (Original) The apparatus of claim 41, wherein said uploading occurs in response to a request for synchronization on the first device.
- 43. (Original) The apparatus of claim 41, wherein said downloading occurs in response to a request for synchronization on the second device.
- 44. (Original) The apparatus of claim 41, wherein said record for each change includes an identification of the device where the change took place.
- 45. (Original) The apparatus of claim 41, wherein said record for each change includes a time stamp indicating the time the record is synchronized with the mail server.

- 46. (Original) The apparatus of claim 41, wherein said record for each change includes an identification of the record.
- 47. (Original) The apparatus of claim 41, wherein said record for each change includes a time stamp indicating the time the corresponding change to the database was made.
- 48. (Currently Amended) The apparatus of claim 41, wherein said record for each change includes a location and identity of attachment documents associated with <u>a</u> the change-action-queue record.
- 49. (Original) The apparatus of claim 41, further comprising:means for deleting said records from said mailbox after said downloading.
- (Original) The apparatus of claim 41, further comprising:means for deleting said records from said mailbox after said downloading.
- 51. (Original) An apparatus for synchronizing an application database located on a first device with an application database located on a second device, the apparatus comprising:

means for generating a list of records of each change to said application database on the first device since a last synchronization, each record containing information regarding said corresponding change;

means for uploading each of said records to a mail server;

means for storing each of said records in a mailbox for a user associated with the first device and the second device;

means for downloading each of said records from said mailbox to the second device; and means for modifying said application database located on the second device with changes indicated by each of said downloaded records.

- 52. (Original) The apparatus of claim 51, wherein said uploading occurs in response to a request for synchronization on the first device.
- 53. (Original) The apparatus of claim 51, wherein said downloading occurs in response to a request for synchronization on the second device.
- 54. (Original) The apparatus of claim 51, wherein said record for each change includes an identification of the device where the change took place.
- 55. (Original) The apparatus of claim 51, wherein said record for each change includes a time stamp indicating the time the record is synchronized with the mail server.
- 56. (Original) The apparatus of claim 51, wherein said record for each change includes an identification of the record.
- 57. (Original) The apparatus of claim 51, wherein said record for each change includes a time stamp indicating the time the corresponding change to the database was made.

- 58. (Currently Amended) The apparatus of claim 51, wherein said record for each change includes a location and identity of attachment documents associated with the <u>a</u>change-action-queue record.
- (Original) The apparatus of claim 51, further comprising:means for deleting said records from said mailbox after said downloading.
- 60. (Currently Amended) A program storage device readable by a machine, tangibly embodying a program of instructions executable by the machine to perform a method for managing the synchronization of an application database located on a first device with an application database located on a second device using a mail server, comprising:

receiving information from the first device regarding every change made to the application database changes made to the application database on the first device since a last synchronization;

storing said information in a mail folder corresponding to a user associated with the first device and the second device; and

forwarding said information from said mail folder to the second device upon receipt of a synchronization request from the second device.

61. (Original) A program storage device readable by a machine, tangibly embodying a program of instructions executable by the machine to perform a method for synchronizing an application database located on a first device with an application database located on a second device, comprising:

generating a record each time said application database is changed on the first device, said record containing information regarding said change;

uploading each of said records generated since a last synchronization to a mail server; storing each of said records in a mailbox for a user associated with the first device and the second device;

downloading each of said records from said mailbox to the second device; and modifying said application database located on the second device with changes indicated by each of said downloaded records.

62. (Original) A program storage device readable by a machine, tangibly embodying a program of instructions executable by the machine to perform a method for synchronizing an application database located on a first device with an application database located on a second device, comprising:

generating a list of records of each change to said application database on the first device since a last synchronization, each record containing information regarding said corresponding change;

uploading each of said records to a mail server;

storing each of said records in a mailbox for a user associated with the first device and the second device;

downloading each of said records from said mailbox to the second device; and modifying said application database located on the second device with changes indicated by each of said downloaded records.